



Slocomb Windows & Doors, Inc.
 767 Sans Souci Parkway • Hanover TWP, PA 18706
 Phone: 800-248-5494
 www.slocombwindows.com

CLEAR EGRESS OPENING FORMULAS FOR VINYL WINDOWS

Most building codes require a minimum, net clear opening of 5.7 square feet. Furthermore, most codes require a window to have a minimum clear width of 22" and a minimum clear height of 24" when opened.

NOTE: Check your local code to verify compliance.

Minimum Finished Window Size
 To Achieve 5.7 SQ. Feet of Clear Opening

Product	Width	Height	Egress Width	Egress Height	Twin Casement
143 Double Hung	W-4.875"	H/2-5.875"			
143 DH (Rollertilt)	W-4.875"	H/2-4.5625"	37.5"	60"	
144 Double Hung	W-5.25"	H/2-6.75"			
144 Slider	W/2-4.6875"	H-4.875"	58.25"	38.5"	
7300 Casement	W-7"	H-4.5"	29"	42"	58" x 42"
Grand Vue 177 DH	W-5"	H/2-5.25"	37.5"	61"	
577/677 DH	W-5"	H/2-5.375"			
Grand Vue 277 Slider	W/2-4.875"	H-5.375"	57.375"	40"	
143 Casement	W-7.25"	H-4.75"	29.25"	42.25"	58.5" x 42.25"